



**T1-PHOS-11X Series**  
**Porter Hospitality**  
**08/01/2020**

## Porter Hospitality

### Description:

- Contactless menu access
- Remote management
- Customer engagement and marketing
- API access for automatic updates
- Customer identification and interaction tracking



Porter Hospitality makes sharing a menu with your guests effortless. The device offers a range of mounting options, and may be set up in minutes using an Android or iOS device. When a guest taps the device or scans the QR code, the menu is delivered seamlessly onto their phone. The device may be configured to load custom branding on the guest's phone and collect guest email addresses. You may also direct the customer to view additional offers or information that may be helpful during their visit.

Remote management features allow you to update menu information instantly from any location. Porter Hospitality models are managed in groups, called locations. Each location may be customized and controls the guest experience for all Porters associated with it. A Google account or Apple ID is required to enable management features. In addition to managing locations on your mobile device, you may also configure automatic management using the Porter API. This enables a variety of new use cases, such as greeting your guest by name or automatically updating the information provided by the Porter.






By providing contactless menu sharing, Porter Hospitality provides an excellent alternative to distributing menus using physical paper, and is itself simple to clean and sterilize.

| Part Number        | Description                                      |
|--------------------|--|
| <b>T1-PHOS-110</b> | Maple Porter Hospitality with menu icon marking  |
| <b>T1-PHOS-111</b> | Walnut Porter Hospitality with menu icon marking |



T1-PHOS-11X Series  
Porter Hospitality  
08/01/2020

# Dimensions:



UNLESS OTHERWISE SPECIFIED:

DIMENSIONS ARE IN MM

TOLERANCES:

X.X ±0.4

X.XX ±0.20

X.XXX ±0.100

SCALE: 1:2

© 2020 Ten One Design LLC

All rights reserved. All company and product names are trademarks or registered trademarks of their respective owners. Specifications subject to change.

[tenonedesign.com](http://tenonedesign.com)  
[info@tenonedesign.com](mailto:info@tenonedesign.com)



T1-PHOS-11X Series  
Porter Hospitality  
08/01/2020

| Item                        | Specification   |
|-----------------------------|---|
| Weight (boxed)              | 436g  |
| Weight (unboxed)            | 360g  |
| Boxed dimensions            | 171 x 138 x 58mm  |
| Power requirements          | No batteries or external source required                                |
| Operating temperature range | -20°C to + 70°C   |
| Setup instructions          | <a href="https://wifiporter.com/setup">https://wifiporter.com/setup</a> |